1985 CHEVROLET

Camaro







80 MPH Crankshaft Cast nodular iron, five main bearings 5.0 liters (305 CID) 1/4 Mile on a GM test track. Test vehicle 0-60 60 MPH was a Camaro Z28 with optional Exhaust System 3.0" front exhaust pipes Tuned-Port Fuel-Injected 5.0 Liter V8 .87g Smooth flow inlet 9.5:1 with electronic spark control and 4-speed automatic transmission. Tuned-Port Injection Monolith converter, 2.25" rear Carburetion Pushrod, hydraulic lifters exhaust pipe, single large-volume, dual-outlet muffler 1.84" inlet, 1.50" exhaust 7.2 15.2 19.3 Sec 242' 133'

without flooding delays from pumping the accelerator. Reduces chances of battery failure or starter motor burnout.

Dependable hot starts without vapor lock delays.

Self-adjusting idle to help prevent stalling when cold and fuel waste when warm.

Optimized engine performance between recommended service intervals.

■ Automatic-idle increase when accessories are engaged to help maintain battery charge.

Reduced maintenance (no choke, carburetor, accelerator pump or needle valve adjustment required).

Available air conditioning switches off automatically under full throttle for better acceleration.

Self-pressurizing system provides easy starts after refilling without priming the system if you run out of gas.

Positive fuel shutoff helps prevent "run-on" after engine is switched off.

CAMARO IROC-Z.

THE ULTIMATE Z28.

Introducing one very serious contender for the title of World's Best Sports Coupe: Camaro IROC-Z.

A very special Z28, inspired by the Camaros specially prepared to test some of the world's best drivers in the International Race of Champions series.

A car of such advanced yet dependable engineering that the prototype of the Camaro IROC-Z you can buy beat its world-renowned competition at its 24-hour showroom stock racing debut at Nelson Ledges.

Sit behind the wheel if you must. Fill your hand with the large, leather-wrapped 5-speed. And experience the ultimate Z28.

0-60/7.2 seconds with optional High Output 5.0 Liter VB and 5-speed manual transmission. Performance data was compiled by a professional driver on a GM test track.

GM skidpad test results: .90g.





IROC-Z Features.

- □ Trim height and center of gravity lowered from Z28.
 □ Quick-response power steering: 2.5 turns, lock-to-lock, with high-effort valving for excellent road feel.
- P245/50VR-16 unidirectional high-performance tires, pioneered on Corvette, mounted on 16' aluminum wheels, help achieve .90g skidpad performance.
- Modified MacPhersonstrut front suspension with increased caster for optimal steering response.
- Specific strut valving to provide excellent wheel control.
- Mass-efficient rear suspension utilizing Delco/ Bilstein gas-filled shocks, two short control arms and a larger diameter stabilizer bar for impressive on-center axle control during cornering.
- New extended Z28-type "ground-effects" rocker panels and larger front air dam.
- Power front discrear drum brakes are standard; 4-wheel power disc brakes optional.
- Fog lamps and special IROC-Z badges inside and out, hood louvers and leather-wrapped steering wheel complete the package.



POETRY

IN MOTION.

Which of today's aerodynamic automobiles is the most beautiful? Proudly we offer Berlinetta as America's fullest expression of poetry in motion.

On the highway, Berlinetta displays a grace-ful, self-assured concern that you be isolated from the annoyances of road surface or weather.

But like a well-bred decathlete, Berlinetta is ready to respond to any challenge. Beneath the lean, elegant hood lurks the advanced technological punch of a Multi-Port Fuel-Injected 2.8 Liter V6. An engine that produces instant, effortless power with all the advantages of a V6 design.

Turn the wheel sharply and you'll feel at once this Camaro's relationship to the race-inspired IROC-Z. The engineers who developed the IROC-Z package have retuned Berlinetta's suspension to respond to you as efficiently as it soothes you.

Equipped with M+Srated (Mud and Snow), allseason tires plus your choice of 5-speed manual or available 4-speed automatic transmission. Berlinetta speaks performance eloquently.

INSIDE BERLINETTA.

A LESSON IN TECHNICAL EXCELLENCE.

For a moment you may fantasize that you are piloting a starship. Until your eyes are drawn to the Berlinetta script tastefully emblazoned across the grand touring steering wheel.

Before you, key driving, visibility and comfort controls await positioning a fingertip away by means of dual sliding computer terminals.


You're sitting at the forefront of automotive ergonomic design. A stunning display of advanced electronics that instantly telegraphs your orders to Berlinetta's command systems.

To complete your pleasure. Berlinetta exploits its hushed acoustical environment with a unique execution of audio excellence. You'll find the electronically tuned, 4-speaker AM/FM stereo radio" features a swivel-mounted remote control for easy operation by driver or passenger. Seek and scan, digital display including clock and tuning graphs, front coaxial and extended range rear speakers are standard. Graphic equalizer and cassette player optional.


Berlinetta's roof console features a map light that swivels, removable flashlight, handy reminder spools and a convenient pouch for garage door opener or sunglasses. Shown with optional glass roof panels removed.



"May be deleted for credit.







accent your car's serious purpose.

This is an interior that invites long-distance travel. Seat-backs recline. The Quiet Sound Group acoustically isolates you from road and wind noise. And like every Camaro, you get more front leg room than in many full-size cars.

For even more personal comfort, specify the available Comfortilt steering wheel and six-way power driver's seat.

Then make sure you take advantage of every adjustment to put your Camaro on right. Because when it comes to driving excitement, you can't sit closer to the action than this.



FEATURES AND OPTIONS

White
Silver Met
Medium Gray Met.
Black*
Dark Blue

Bright Blue Met."

Yellow*

Light Yellow


Light Brown Met.

Copper Met.

Red*

Maroon

*IROC-Z available in these colors only.





Engines

2.5 Liter L4 with EFI*

2.8 Liter V6

With MFI! (A)

with TPI** (B)

5.0 Lifer 4-8bl. V8 (B) (High Output) L69

5.0 Liter 4-Bbl.

5.0 Liter V8

IROC-Z features P245/50VR-16 radials.



	1	. /	
	1	ARC.	
Ġ.			Š

All-season M + S-rated

tires are standard on

Rear seat-back folds flat for 31.0 cubic feet of cargo space.



Front seats recline.

Air conditioning Deluxe luggage compart-Air conditioning, elecment trim (Std. on Berlinetta) tronic control (Berlinetta Dual horns (Std. on only)

Berlinetta)

wiper system.

area cover

(driver's side)

Console, roof (Std. on

with resume and speed

Intermittent windshield

cover (Std. Berlinetta)

Power hatch release

Six-way power seat

Rear compartment cargo

Special instrumentation

Four-wheel power disc

brakes (requires V8 and limited slip differential)

Heavy-duty battery

Heavy-duty cooling

Rear spoiler (Std. Z28).

Power windows Quiet Sound Group (Std. on Berlinetta)

Auxiliary lighting Floor covering: Mats, color- Clock: Electric quartz

keyed (carpeted), front and/or (Std. on Z28) Comfortilt steering wheel

Halogen high and low beam headlamps

Berlinetta)

Mirrors: Sport LH remote-Electric rear window control and RH manual (Std. defogger on Berlinetta and Z28); Sport Electronic speed control twin electric remote

■ Moldings: Body side, black; adjustment features Door edge guard, black

Power door lock system Removable glass roof pan- Locking rear floor storage

els (with tinted glass).

		3

Engine Availability	Transmissions
P215/65R-15 E are standard o	

P215/65R-15 Eagle GT's are standard on Z28.						(Std. Berlinetta, Z28) ☐ Split folding rear seat-back ☐ Tinted glass.
Engine Availability				Transmissions		Performance
Sport Coupe	Berti- netta	Z28	IROC	5-Spd. Man.	4-Spd. Auto(1)	Axles: Limited slip differential; Performance axle
S	NA	NA	NA	s	0	ratio (Z28 only)
0	s	NA	NA	s	0	F41 Sport Suspension (Sport Coupe and
0	0	S	S	\$(7)	0	Berlinetta): Includes special
NA	NA	NA	0	s	NA	front stabilizer, added rear stabilizer, special shock
NA	NA	0	0	NA	s	absorbers and "high-effort
Mexic	a.					feel" power steering Four-wheel power disc

(A) Produced in U.S., Canada or (B) Produced in U.S. or Canada. S: Standard. 0: Optional. NA: Not Available.

1.09

LB8

Standard on ZZ8 and IROC; NA on Berlinetta or Sport Coope.
*Electronic Fuel Injection. 1Multi Port Fuel Injection.
**Tuned-Port Fuel Injection.

GM-Delco radio equipment (All radios include dual front scan, cassette tape, graphic speakers; all stereos include dual rear speakers.)

AM/FM radio* ETR" AM/FM stereo radiot

ETR AM/FM stereo radio monaural radios). with digital clock*†

ETR AM/FM stereo radio with stereo cassette tape and digital clock*†

ETR AM stereo/FM stereo radio with seek and scan, stereo cassette tape, clock and graphic equalizer*†

ETR AM/FM stereo radio with remote head, seek and equalizer and digital clock (Berlinetta only)†

Power antenna Speakers, dual rear (available only with AM/FM

Not available Berlinetta. *ERS** system: front coaxial and extended range rear speakers.

P195/75R-14 all-season steel-belted radial ply whitestripe (Sport Coupe)

Berlinetta)

Rear window wiper/ washer and electric delogger are welcome options in foul weather. P205/70R-14 all-season steel-belted radial ply blackwall (Sport Coupe with Rally Wheels only: Std. on

P205/70R-14 all-season steel-belted radial ply whitelettered (Sport Coupe with Rally Wheels only)

P205/70R-14 all-season steel-belted radial ply whitestripe (Berlinetta; Sport Coupe requires Rally Wheels).

All Camaros feature precision, robotics-aided assembly and anti-corrosion measures that have stood up to brutal corrosion testing.

An option that offers service protection in addition to that provided by GM's newvehicle limited warranty. Coverage available only in the U.S.and Canada. Ask your dealer about it.



FEATURES AND OPTIONS



Four-speed overdrive automatic transmission is available.



IROC-Z 16" standard aluminum wheel.



Z28 standard aluminum wheel,



Standard Berlinetta wheel cover.



Optional air conditioning.

Power 4-wheel disc brakes available.



Optional power door locks.




High/low halogen headlamps are available.



Optional power windows.



Optional electronic speed control includes resume and speed adjustment features.



Split-folding rear seat-backs are available.



Optional aluminum-finned wheel (gold on Berlinetta, argent on Sport Coupe).



Optional Sport Coupe Rally Wheel.



Optional Sport Coupe cover



Here's Camaro's most technologically advanced GM-Delco ETR AM stereo/FM stereo radio option: with a 5-band equalizer, dynamic noise reduction, a built-in power booster and dramatic back lighting. Features include seek and scan, cassette tape with search and repeat and digital clock (available on Z28, IROC-Z and Sport Coupe). Just touch a button and sophisticated circuitry locks onto your favorite station with sure sensitivity and accuracy. To create an ideal sound stage for your favorite music, specify Camaro's Quiet Sound Group option (available Z28, IROC-Z and Sport Coupe; standard Berlinetta).

Safety Features

Occupant Protection

- Manual lap/shoulder belts for driver and right front passenger (driver's side includes visual and audible warning system) ■ Manual lap belts at each rear seat position
- Energy-absorbing steering column • Energy-absorbing instrument panel • Energyabsorbing tops, front seats
 Laminated safety windshield
- Laminated safety windshield glass and tempered safety side and rear window glass - Safety interlocking door latches
- Passenger-guard inside door lock handles • Inertia-locking, folding front seat-backs
- Safety armrests
 Safety-strength seat attachments
 Head restraints, driver and right front passenger (adjust-

Accident Avoidance

able/integral).

- Side marker lights and reflectors = Parking lamps that illuminate with headlamps
- Four-way hazard warning flasher Backup lights
- flasher Backup lights
 Directional signal control and
- lane-change feature
 Windshield defroster, washer and dual-speed wipers ■ Inside rearview mirror with vinyl-
- bonded glass Outside left and right rearview mirrors • Brake system with dual
- master cylinder and warning light • Starter safety switch
- Dual-action hood-latch system • Low-glare finish on instrument panel top, inside windshield moldings, wiper arms-iblades, metallic steering wheel surfaces • Illuminated heater and defroster controls
- heater and defroster controls

 Tires with built-in tread-wear indicators.

Anti-Theft

 Audible reminder for ignition key removal = Anti-theft steering column lock = Visible vehicle identification number.

Exterior Features	Sport Coupe	Berti- netto	Z28
Argent wheels with hubcaps	S	NA	NA
Black dual mirrors	S	NA	NA
Body pin striping	NA	S	NA
Color-accented lower body	NA	S	NA
Dual Sport mirrors (LH remote, RH manual)	0	S	S
Front air dam/"ground-effects" rocker moldings	NA	NA	S
Rear deck spoiler	0	0	S
Silver- or gold-accented lower body with stripe	NA	NA	S
Interior Features			
AM radio (may be deleted for credit)	S	NA	S
Carpeted cargo floor with stowage well	S	S	S
Hinged-cover console stowage	S	S	S
Reclining front bucket seats	S	S	S
Mechanical Features			
F41 Sport Suspension	0	0	NA
Five-speed manual transmission	S	S	S
Front disc brake audible wear sensors	S	S	S
Front stabilizer bar (size)	1.1"	1.1"	1.3"
IROC-Z Sport Equipment Package	NA	NA	0
P195/75R-14 all-season steel-belted radial ply blackwall tires	s	NA	NA
P205/70R-14 all-season steel-belted radial ply blackwall tires	0	s	NA
P215/65R-15 steel-belted radial ply white-lettered tires	NA	NA	s
Power front disc/rear drum brake system	S	S	S
Power steering	S	S	S
Rear suspension with torque arm to handle driving and braking forces	s	s	s
Tochometer	0	S	S
Electronic Fuel Injection system	S	NA	NA
Multi-Port Fuel Injection system	0	s	NA
Tuned-Port Fuel Injection system	NA	NA	0
S: Standard. O: Optional. NA: Not Available.			
Dimensions (in.)			
Wheelbase	101.0	101.0	101.0
Length (overall)	188.0	188.0	192.0
Width (overall)	72.8	72.8	72.8
Height (loaded)	50.0	50.0	50.3
Tread-Front	60.7	60.0	60.0
Tread-Rear	61.6	60.9	60.9
Head Room—Front	37.0	37.0	37.0
Head Room—Regr	35.6	35.6	35.6
Leg Room-Front	43.0	43.0	43.0
		28.9	
Leg Room-Rear	28.9		28.9
Shoulder Room—Front	57.5	57.8	57.5
Shoulder Room - Rear	56.3	56.3	56.3
Hip Room-Front	56.3	56.5	56.3
Hip Room—Rear	42.8	42.8	42.8
Cargo Volume (cu. fl.)	12.4*	12.4*	12.4
Fuel Tank Capacity (gals.)	15.5	15.5	16.2

Let's Get It Together... Buckle Up.

Every new 1985 Camaro delivered by a Chevrolet dealer in the United States comes with a one-year, \$10,000 seat belt insurance certificate from Mic General Insurance Corporation at no additional charge. \$10,000 will be paid to the estate of any occupant who suffers fatal injuries as a result of an accident involving that vehicle while wearing a GM seat belt. Buckle up every time you drive.

Important: A Word About This Catalog.

We have tried to make this catalog as comprehensive and factual as possible. However, since the time of printing, some of the information may have been updated. Also, some of the equipment shown or described throughout this catalog is available at extra cost. Your dealer has details and, before ordering, you should ask him to bring you up to date. The right is reserved to make changes at any time, without notice, in prices, colors, materials, equipment, specifications and models. Check with your Chevrolet dealer for complete information.

A Word About Updated Service Information.

Chevrolet regularly sends its dealers useful service bulletins about Chevrolet products. Chevrolet monitors product performance in the field. We then prepare bulletins for servicing our products better. Now you can get these bulletins, too. Ask your dealer. To get ordering information, call toll-free 1-800-551-4123.

A Word About Assembly, Components and Optional Equipment in These Chevrolets.

The Chevrolets described in this catalog are assembled at facilities operated by General Motors or GM of Canada These vehicles incorporate thousands of different components produced by car groups and various component divisions of General Motors and by various suppliers to General Motors. From time to time during the manufacturing process. it may be necessary, in order to meet public demand for particular vehicles or equipment, or to meet federally mandated emissions, safety and fuel economy requirements, or for other reasons, to produce Chevrolet products with different components or differently sourced components than initially scheduled. All such components have been approved for use in Chevrolet products and will provide the quality performance associated with the Chevrolet name.

optional equipment, make certain you specify the type of equipment you desire on your vehicle when ordering it from your dealer. Some options may be unavailable when your car is built. Your dealer receives advice regarding current availability of options. You may ask your dealer for this informaion. GM also requests the dealer to advise you if an option you ordered is unavailable. We suggest that you verify that your car includes optional equipment you ordered or, if there are changes, that they are acceptable to you.

With respect to extra-cost

A Word About Engines.

Chevrolets are equipped with engines produced at facilities operated by GM car groups, subsidiaries or affiliated companies worldwide.



*31.0 cu. ft. with rear seat-back down

Live Today's Chevrolet